#### DOCUMENT RESUME

ED 183 405

SE 030 314

AUTHOR

Sigurdson, Orville: And Others

TITLE

Area. Topical Module for Use in a Mathematics

Laboratory Setting.

INSTITUTION

Regional Center for Pre-Coll. Mathematics, Denver,

SPONS AGENCY

National Science Foundation, Washington, D.C.

PUB DATE

73

GRANT

NSF-GW-7720

NOT B

61p.: For related documents, see SE 030 304-322;

Contains occasional light and broken type

EDRS PRICE-. DESCRIPTORS MF01/PC03 Plus Postage.

\*Activities: Gecmetric Concepts: \*Learning

-Laboratories: Manipulative Materials: Mathematical

Formulas: Mathematics Curriculum: \*Mathematics Instruction: \*Measurement: Secondary Education:

\*Secondary School Mathematics: Worksheets

IDENTIFIER S

\*Area: Calculators

ABSTRACT

This area package emphasizes three facets: (1) the concept of area as a covering: (2) the square unit; and (3) formula development. There are two enrichment activities included. The first requires the aid of a programmable calculatom or computer. (Author/MK).

Reproductions supplied by EDRS are the best that can be made from the original document.

U.S. DEPARTMENT OF HEALTI EDUCATION & WELFARE MATIONAL INSTITUTE OF EDUCATION

THIS TOOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENTATIONAL INSTITUTE OF EQUICATION POSITION OR POSITION OF PO

PERMISSION TO REPRODUCE THIS MATERIAL HAS BEEN GRANTED BY

Mary 1 Charles NSF

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (FRICE)

TOPICAL MODULE FOR USE

IN A

MATHEMATICS LABORATORY SETTING

TOPIC: AREA

Orville Tyrdson Pat Snyder Jo**se**ph Pagone

A Publication
of
University of Denver
Mathematics Laboratory
Regional Center for

Pre-College Mathematics

Dr. Ruth I. Hoffman, Director

This material was prepared with the support of the National Science Loundation Grant Silve??220

O Delivered in 18 December Hardward Law Repositional 1813

# TEACHER'S GUIDE

#### Area ...



This module may be used in a variety of ways.

- 1. It may be used with a pretest as suggested in the teacher's guide.
- 2. Groups of students may be assigned to various experiments according to past performance.
- 3. The class may be divided so each group has a group leader who has the ability to help the other students.
- 4. Teachers may use a group-method of their own choosing or the entire class.

# MATERIALS



# .Contained in this Module:

- 1. One overlay with three networks. (SW #7)
- 2. One square-grid overlay. (SW #9)
- 3. One tangram set. (\$\display #5 and #6)

# .Teachers must provide:

- 1. One pair of scissors (SW #1, 4, 14 and 15)
- 2, One geoboard and rubberbands. (SW #3, 8, 10, 12, and 13)

# .Optional (Teacher provides)

1. Computer (Enrichment #1)

# TIME SCHEDULE

During field testing, this module took an average of \_\_ fifty-minute class periods to complete.



### **OBJECTIVES**



Given manipulatives such as a geoboard and tangrams, the student will develop the notion of covering as related to the concept of area.

.Given data, a student will develop formulas for the area of a square, rectangle, and triangle.



.The area package emphasizes three facets - (1) the concept of area as a covering (cards 1-5), (2) the square unit (cards 6-8), and (3) formula developemnt (cards 9-15). There are two enrichment activities included. The first requires the aid of a programmable calculator or a computer.

# TESTING PROCEDURE

#### I. Pretest

- A. The pretest checks the behavior entry level of the students to determine if they need additional preparation before beginning. work on this module.
- B. Students who are unsuccessful on the pretest may have difficulty working this module, and they may need additional help.

#### Posttest II.

The posttest checks to see if the student is able to successfully complete the objectives established for this module.

# Outline


# A. Teaching suggestions

- 1. Figures are equal in area if they are congruent.
- 2. Students may need several copies of lA in order to explore freely.

#### B. Materials

Card 1

- 1. Scissors
- 2. Several copies of IA.
- Solution



#### Card 2

# A. Teaching suggestions

1. Figures with the same shape are different if the space they "cover" (area) is different.

2. Figure can be cut to show congruence similar to Card 1.

## B. Materials

- 1. It may be an advantage to enlarge the figure on Card 2 and display in front of the class.
- 2. Copies of 24 to be completed by the student.

#### Solution

- 1. 10 squares -- 4 different-sised squares
- 2. 20 triangles -- 4 different-sized triangles.

## III. Card 3


#### Teaching suggestions

- 1. Begin introducing the term "area",
- 2. Variation in size may be determined by the number of pegs (nails enclosed by the square) without introducing unit moasure.

# B. Materials

- 1. Instruction sheet
- 2. Geoboard and rubber bands.

### C. Solution



#### IV. Card A

- A. Teaching suggestions
  - 1. Figures need not be congruent to be equal in area.
  - 2. Students will need several copies of 4A in order to develop congruent figures.

# B. Materials

- 1. Scissons
- 2. Several copies of 4A.
- C. Solution

All five figures have the same area,


#### V. Card 5


- A, Teaching suggestions
  - 1. Congruence is a sufficient, but not a necessary condition for equal area.
  - 2. Supply each student with a tangram set.


#### B. Materials

- 1. Copies of 5A<sub>1</sub> and 5A<sub>2</sub>.
- 2. Set of tangrams.

C. Solution (there are many solutions for








### VI. Card 6

- A. Teaching suggestions
  - 1. Assigns a number value to measures of area.
  - 2. Suggest finding the area of the two small triangles first, then use these (plus the square when necessary) to find the area of the larger pieces.
- B. Materials set of tangrams.
- C. Solution



1/2 sq. unit

2 sq. units

...

2. Area of figures on  $5A_1$  and  $5A_2$  is 8 sq. units.

#### VII. Card 7.


- A. Teaching suggestions
  - Any consistent square unit can be used for measuring area.
  - 2. Answers will not be exact.
- B. Materials
  - 1. Copies of 7A and 7B.
  - 2. Network overlay. »
- C. Solutions are in surface units (sur.)

Fig.	ì	Netwo:	rk l	1	Netwo	rk 2	]	Netwo:	rk 3
A ·	51	sur.	units	15	sur.	units	13	sur.	unita
В	77	sur.	unite	21	sur.	units	19	sur.	units
C	93	sur.	units	26	sur.	units	23	sur.	units
D	57	sur.	units	17	sur.	units	15	sur.	units

2. Even if the numbers vary, the size of the figure remains constant.

### VIII. Card 8

- A. Teaching suggestions
  - 1. Demonstrate the subtractive method.



The entire rectangle A C D F contain six square units.

The shaded portion  $\triangle$  B C D contains 1/2 of the area of rectangle B C D E.



Since the area of rectangle B C D E is 3 sq. units. B C D = 1 1/2 sq. units.

The same is true for rectangle A B E F and A E F.

Therefore, the area of A B D E equals  $6 - (1\frac{1}{2} + 1\frac{1}{2}) = 6 - 3 = 3$  eq. units.

- 2. Suggest small group work.
- 3. Can be done without geoboard as a paper and pencil exercise.

#### B. Materials

- 1. Copies of 8A<sub>1</sub>, 8A<sub>2</sub>, 8B, and 8C.
- 2. Geoboard and rubber bands.

#### C. Solution

- 1....2 sq. units 8. 3 sq. units
- 2. ½ sq. units 9. 7 sq. units
- 3. 2 sq. units 10. 3 sq. units
- 4. 1½ sq. units 11. 7 sq. units
- 5. 2 sq. units 12. 1 sq. unit
- 6. 4 sq. units 13. 51 sq. units
- 7. 3 sq: units 14. 2 sq. units

### IX. Card 9

# A. Teaching suggestions

- 1. Cards 9-15 are designed to aid the students in discovery of the parameters important in writing area formulas.
- 2, Can be done as a classroom exercise.

# B. Materials

- 1. Copies of 9A and 9B.
- 2. Square acetate network.

## C. Solution

- 1. The length of the side changes (student may respond "perimeter",) radius (or diameter or circumference), sides, and sides or base and height.
- 2. Each square is  $\frac{25}{4} = 61$  sq. units (approx. 6).
- 3. Each side measures 3 units.
- 4. When side is doubled, area increases by a factor of 4.
- 5. If the area is doubled, the side length increases by a measure of 2.

#### X. Card 10

# A. Teaching suggestions

- 1. If using the acetate is cumbersome, merely assign a value of one square unit to the smallest square on the geoboard.
- 2. Encourage students to look at the relationships.

# B. Materials

- 1. Copies of 10A.
- 2. Geoboard and rubber bands.
- C. Solution
  - h. As S increases, A increases.
  - 2. A = 4 · S.

# XI. Card 11

# A. Teaching suggestions

- 1. Group disquision of formulas.
- 2. Discuss the difference between constants and variables.
- 3. lik is a checkpoint to tell if the student is making the correct generalization.

# B. Solutions

- The area of a square is a product of a side times a side (or a side squared.)
- 2.  $A = S^2$
- 3. The area of a restangle is a product of the length times the width.
- 4.  $A = 1 \cdot w \text{ (or } A = b \cdot h).$

#### XII. Card 12

# A. Teaching suggestions

- 1. Discussion of right triangles.
- The area of a right triangle is onehalf the enclosing rectangle.


### B. Material

. 1. Geoboard and rubber bands.

# XIII. Card 13 .

# A. Teaching suggestions

- 1. Discussion of height of a triangle.
- 2. Relate to height of a right triangle.
- 3. Compare with two rectangles



B. Material - Geoboard


2. The area of a triangle is 1/2 of an enclosing rectangle with the same base and height.


XIV: Card 14'


- A. Teaching auggestions
  - 1. Define à parallelogram.
  - 2. Compare the parallelogram to a rectangle.
- B. Solution

1. a









- C. Matérials Seissors
- XV. Card 15
  - A. Teaching suggestions
    - 1. Stages
      - a. Complete the triangles as parallelograms on a transparency for overhead use.
      - b. Sketch lines converting parallelograms into a rectangle.
    - 2. Students can contribute more examples.
  - B. Solution
    - 1.  $A_{rr} = b \cdot h$
    - 2.  $A_{a} = \frac{1}{2} \cdot b \cdot h$
- XVI. Enrichment I .
  - A. Teaching suggestions
    - 1. Can be used without a computer by having students do the calculations, following the flowchart.
    - 2. Designed as a small group activity.
  - B. Solutions

# Square

- 1. Double area side increases by the multiple  $\sqrt{2}$ .
- 2. Triple area side increases by the multiple  $\sqrt{3}$ .
- 3. Reduce area by one-half side is reduced by multiple  $\frac{1}{\sqrt{2}}$  or  $\frac{\sqrt{2}}{2}$
- $4. \quad A = s^2.$

# Circle

- Double the area radius increases by the multiple √2.
- 2. Triple the area radius increases by the multiple  $\sqrt{3}$ .
- 3. Reduce area by one-half radius is reduced by the multiple  $\frac{1}{2}$  or  $\frac{\sqrt{2}}{2}$
- 4.  $A = \pi r^2$ .

# Right Triangle

- 1. Double area double height.
- 2. Triple area triple height.
- 3. Reduce area by one-half reduce height by one-half.
- 4.  $A = \frac{1}{2}b \cdot h$ .

#### XVII. Enrichment II

- A. Teaching suggestions
  - 1. Can be used in conjunction with a graphing module.
  - For a class exercise, make a transparency of E-IIA for use on the overhead projector.
- B. Solution

Cu	rve l	Cur	<b>ve</b> 2	Curve 3		
L	A	L	A	L	A	
1	1	1	<b>3.</b> 1	1	5	-
2.	4	2	12.6	2	10	
3	9	3	28.3	3	15	
4	16	4	50.2	. 7	35	
5	25	2.5	19.6	4	20	

6	36	<b>'5</b>	78.5	2.5	12.5
7	49	8	201	3.5	17.5
8.	64	11	379.9	6	30
4.5	20.25				
6.3	42.25				
5.5	30 .				
2.5	6	7			
A =	A = L <sup>2</sup> Square		L <sup>2</sup>		tangle

# Answer Key - Area


# Pretest

- 1. .a. 90 sq. inches b. 11 inches
- 2. a. 9 sq. inches b. 12 sq. inches
  - , c. 24 sq. feet


# Posttést

- 1. a. 9 sq. units b. 4 sq. units
  - c. 5 sq. units d. 8 sq. units
  - e. 9 sq. units
- 2. a. 25 sq. inches b. 6 sq. inches
  - c. 6 sq. feet d. 153.86 sq. inches
- 3. 1,695.60 sq. inches.


- 20 points for each answer
- 1. Simplify the following expressions.
  - 'a. 6 in. x 15 in. =
  - b.  $(5 \ 1/2" + 3" + 2 \ 1/2" =$
- 2. Find the area of the following figures.
  - a.



b.




C




- 10 points for each answer
  - Find the area for each of the following figures:


Given:


is one square unit.















Find the area of each of the following figures.












3. Find the area of the shaded figure:






How can you tell if they are the same?



Refer to the figure below to answer the questions on 2A.



- 1. How many squares can you find?
- 2. How many different sized squares?

  Draw each

- 3. How many triangles can you find?
- 4. How many different sized triangles?

  Draw each


Construct as many different sized squares on the geoboard as you can.


Now can you determine if they are different sized?


What factor(s) determines if one square is larger than another?


Determine which figure on worksheet 4A is the largest (has the greatest area) and which is the smallest (has the least amount of area).

Use scissors to cut the figures and overlap in order to compare the sizes.











rea.

Using all seven tangram pieces, arrange them to fit the patterns on  $5\text{\AA}_1$  and  $5\text{\AA}_2$ .

Which figures have the greatest area?





If the square in the tangram set represents one square unit, find the areas of the/other six pieces.

What is the area of each figure of  $5A_1$  and  $5A_2$ ?

Any unit of coverage can be used for area. It is not necessary that it is square. Examine the overlay with network 1, 2 and 3. Any of these grids could be used to measure area with a unit of area consisting of a single closed figure in the network.

Using 7A, draw a unit of area for each of the networks.

Look at the figures on 7B. Which is largest? Measure each using the network and complete 7A.

Units of area

Network 1


Network 2

Network 3

Area

Figure	Network 1	Network 2	Network 3
A			
В		*	
C	1		A
D		14	

What remains constant in the relationship?



Construct the figures shown on  $8A_1$  and  $8A_2$  on the geoboard. If we let the smallest square that can be formed on the geoboard . be one square unit, find the area of each.


Record your findings on 8B.

Construct your own figures, represent them on the dot paper, 8C, number each, and record their areas on 8B.


Challenge a friend to find the area of the figures you have constructed.

What if the smallest square of the geoboard represented two square units, how would the entries on 8B change?

What if the smallest square represented half a square unit, how would this affect the entries on 8B?



6 173 U of D



•			<b>&gt;</b>	•
7	Area		Area	•
:-		74		
		21		-
,	•	22	-	
		, 23	•	
		24 .		
New or the same of		25 5		·
\		26		
,		27		
	•	28 .		
		429	•	•
,		° 30		
gamentaha danggi di 1-1		31	,	
urra i receni quanque. La		32	r.	
	The second secon	33 -		
<del></del>	• .	34		
•		35		_
		36		4
	**************************************	37		
•		.38		
244	12	39	•	
ERIO		6 40	(0 '73 U of	r Deal

•

C

ERIC

ţ.,

The objective of 9-15 is to help you understand how a formula (mathematical sentence) is developed. The figures discussed are 1) square, 2) rectangle, 3) triangle, 4) parallelogram. Note carefully what factors (variables) need to be considered and the relationship of the variables.


Our basic tool for area is called a square unit.

It is a square whose

Complete worksheets 9A and 9B. .

side is equal to one unit.

<b> 4-8-</b>	<b>-</b>		1		
raw similar	figures each of	which has a	larger area.	(s = side, r	- radius.
= neight,	b = base/) (Simi	lar figures h	ave the same s	shape, but ma	y differ in
	b)		c)	d)	
		`		•	
<b>(a</b>			<b>6</b> .		
	•			(	
ich dimensi	ion(s) did you c	hange in each	?	,	<i>i</i>
•		c) _			ν.
407000000		d)			<del></del>
	· · · · · · · · · · · · · · · · · · ·	u)			•
					•
uid you hav	re changed other	• .	ncreased the a	rea? -	• •
1	•	c)	e	•	•
,					



The area of this square is 25 square units. (Use the grid as an overlay to check the area.)

Divide the square into four equal squares. What is the area of each square?

Draw a square that contains nine square units. How long is each side?

What happens to the area when you double the length of a side? (Look at the grid.)

What happens to the length of a side when you double the area?

Construct several squares on the geoboard. Measure s (side) and A (area) of each using the grid.

What happens to A as s increases?

Construct several rectangles on the geoboard.

Measure b (base), h (height) and A (area) with the grid.

Do you see a relationship?

Complete the chart on 10A.

10A

Side	
	<b>★</b>

Rectangle

Area	Length	Width ,
	· ·	,
Management of the substitute o	ζ.	•
, ·		
		<b>Y</b>
•		
	*	
	<i>-</i>	•
FRIC	42	

 $R_{\rm b} = 4 \times 8$  is a formula which represents the perimeter of a square. It indicates that the perimeter of a square can be found by multiplying the constant,  $L_{\rm b}$ , times the length of the side, s.

A formula is a generalization we can use to solve problems quickly.

Complete 11A.


Write a sentence that describes the relationship between the sides and area of a square as expressed in table 10A.

Write a mathematical sentence (formula) for area of a square.

Write a sentence that describes the relationship between the area of a rectangle and its sides as expressed in table 10A.


Write a formula for the area of a rectangle.


A right triangle is a triangle that contains a  $90^{\circ}$  (right) angle. Construct several right triangles on the geoboard. Make a rectangle by overlaying each right triangle with another rubber band, for example:




Do you see a relationship between the areas?

Not all triangles are right triangles, but the height can always be found by dropping a perpendicular (line forming a 900 cangle) from the apex to the base.








Construct some triangles on the geoboard which are not right triangles. Can you find the height?


Can you write a formula for the area of a triangle?

Using a pair of scissors make each parallelogram (four sided figure with the opposite side parallel) on 14A into a rectangle. For examples



Can you find the height (perpendicular distance to the base) of each?

Can you write a formula for its area?



Add lines to each triangle on 15A to make a parallelogram. Use scissors to cut each parallelogram to form a rectangle.

Write a formula for the area of a parallelogram on 15B.

Write a formula for the area of a triangle on 15B.

What factors affect the area of ..

- a) a square
- b) a rectangle
- c) a triangle
- d) a parallelogram

Write a formula for the area of

- a) a square
- b) a rectangle
- c) a triangle
- d). a parallelogram

1

Use the supplied program for your computer to fill in the worksheet EIB and answer the questions.

You may choose any or all of the figures.

## SQUARE

What happens to the length of a side if we double the area?

What happens to the length of a side if we triple the area?

What happens to the length of a side if we reduce the area by half?

Can you write the formula for the area of a square?


## CIRCLE

What happens to the length of the radius if we double the area?

What happens to the length of the radius if we triple the area?

What happens to the length of the radius if we reduce the area by half?

Can you write the formula for the area of a circle?



SQUARE

TRIANGLE

CIRCLE

	ARFA Sq. Units (All uni	BASE Units ts to neares	t tent	AREA Sq. Units	HEIGHT Units	HASE Units		AREA Sq. Units	RADIUS .
	·	<del></del>			<u> </u>	·	· · · · · · · · · · · · · · · · · · ·		
			1				1		,
			2			·	2 '		
		<i>I</i> \$	3				3.		
		* /	4			·	4		
,			5		,	5	5		
,			6				6		
,	yı .		-7				7		
,			8				8	v	
}			9				9	·.	
i O			10		,	-	.10		
11_	49		11.	2	36:		11	•	
		`	12	10		·	12		
13 ·	4		13	10			13		
14		-	14			1	14	1. 14.5 (1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
15	20 ,		15	7.5			15		1
15	4	,	11)	1.5	<u>L.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>		127	1	

Use the supplied computer program to answer the following questions.


## RIGHT TRIANGLE

What happens to the height if we double the area?

What happens to the height if we triple the area?

What happens to the height if we reduce the area by half?

Can you write the formula for the area of a triangle?



GRAPHING

(Nearest Tenth)

<del></del> ,			1			
, Cur	ve - 1	Cur	ve 2	Curve 3		
L	. A	L	A	L	A	
1		1		1		
2		2		2 .		
3		3	/	-3		
14		L <sub>i</sub>		,	35	
5	,		19.6	**	20	
6		0	7.1		40	
7		STOP!		2.5		
<sup>'</sup> 8		5		3.5		
4.5		8	·		. 30	
6.5			379.9			
	30		,			
	, 6					
	·					
	*				·	
Formula A =		A =	a.	A = 10x		
Figure				A = 5x		
			D. Formula			
	•		E. Figure			

5

B.

By studying your completed table for Curve 1, perhaps you can write the formula which relates L and A. This has been begun in part B (on E-IIB) below your table. (Stop reading and try it!) Hint: if you are puzzled, think of L as a number in your table under "L". What happens to that number to get the area listed under "A"?

For what figure does the formula give us the area? List the name as part C on your worksheet.

Now consider curve 2.

Proceed as in the previous card: complete the table (part A) under "Curve 2" on worksheet E-IIB.

Stop at the "STOP!" position and study your table. As before, try to complete the formula (B) relating A and L. Do this before reading further! Hint: note that Curves 1 and 2 are similar looking. So the formulas will look similar, except that a number is included for the formula for Curve 2.

For what geometric figure does the formula give the area? What is L then in terms of the figure? Complete part C for Curve 2. Now complete table 2.

Look at Curve 3 of sheet E-IIA. Complete the table (part A) for Curve 3.

We are going to assume that one linear dimension of the figure, for which Curve 3 gives the area, is 10. By studying your table complete the formula (part B) for Curve 3. CAREFUL: the pairs of numbers (L,A) from your table must work in (satisfy) the formula.

Name a figure (part C) for which the formula will give the area.

Now suppose the fixed linear dimension is 5, not 10. Complete the formula, part D, so that the pairs (L,A) for Curve 3 satisfy that formula. Name a figure for which the formula would give the area (part C).

Why do Curves 1 and 3 meet where they do?

Look at the table for Curve 1 (worksheet E-IIB). The linear measure 2 (L column) is halfway between 1 and 2. Is the area (A column) for 2 halfway between the area for 1 and 3?

Try this for Curve 2 and Curve 3.

In the L column for Curve 1, 6 is twice 3. Is the area for 6 twice that of the area for 3? Try for Curves 2 and 3.

Can you make any general statements about these comparisons?